

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	957	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$8) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L2	0	("(dataadjstream\$1)and (virtualadjfile)and (containeradjfile) and@ad<20031214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/23 21:29
L3	2	(data adj stream\$1) and (virtual adj file) and (container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L4	10	(data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L5	4	"20020170074" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L6	0	707/104.1.ccls. and (data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L7	6	707/104.1.ccls. and (data adj stream\$1) and (virtual with file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L8	436	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L9	61	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29

L10	5	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4 with files) and container and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L11	4	"20050132417" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L12	6	((data adj block) with (data adj stream)) same (over\$1writ\$4 or "in place of" or replac\$4) and file and buffer and memory and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L13	129	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L14	2	"20050132417" or "6301605".pn. and "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L15	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L16	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L17	7	"20050132417" or "20040193648" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L18	16	((media adj content) with receiv \$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L19	1	((media adj contents) with receiv\$4 with creat\$4 with files) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29

L20	16	((media adj contents) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L21	4	"20030110504" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L22	283	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L23	283	709/231.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L24	27	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L25	21	"725"/89.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L26	26	"711"/154.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L27	1	((media adj content) with receiv \$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214" and (jitter\$3 or disjoint\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L28	58	((media adj content) with receiv \$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L29	0	((media adj content) with receiv \$4) and ((media adj content) with consum\$6) and ((data or content) adj streams with buffer) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29

L30	79	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L31	0	((media adj contents) with receiv\$4 with comsum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L32	4	"20030110504" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L33	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L34	129	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L35	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L36	7	"20050132417" or "20040193648" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L37	16	((media adj content) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L38	6	707/104.1.ccls. and (data adj stream\$1) and (virtual with file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L39	10	(data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29

L40	2	"20050132417" or "6301605". pn. and "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L41	1	((media adj contents) with receiv\$4 with creat\$4 with files) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L42	16	((media adj contents) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L43	4	"20030110504" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L44	283	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L45	283	709/231.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L46	27	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L47	21	"725"/89.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L48	26	"711"/154.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L49	1	((media adj content) with receiv \$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214" and (jitter\$3 or disjoint\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29

L50	58	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L51	0	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams with buffer) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L52	79	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L53	0	((media adj contents) with receiv\$4 with comsum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L54	4	"20030110504" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L55	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L56	0	707/104.1.ccls. and (data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L57	0	("(dataadjstream\$1)and (virtualadjfile)and (containeradjfile) and@ad<20031214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/23 21:29
L58	436	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L59	61	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29

L60	5	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4 with files) and container and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L61	6	"20050132417" or "6301605". pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L62	4	"20050132417" or "6301605". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L63	6	((data adj block) with (data adj stream)) same (over\$1writ\$4 or "in place of" or replac\$4) and file and buffer and memory and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L64	4	"20020170074" or "6301605". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L65	2	(data adj stream\$1) and (virtual adj file) and (container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L66	398	(container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L67	0	((allocat\$4 or determin\$4) near3 size) with (container adj file)) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
L68	1	((allocat\$4 or determin\$4) with size) with (container adj file)) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 21:29
S1	0	("(dataadjstream\$1)and (virtualadjfile)and (containeradjfile) and@ad< 20031214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/08 08:08

S2	2	(data adj stream\$1) and (virtual adj file) and (container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 18:24
S3	9	(data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/08 08:16
S4	4	"20020170074" or "6301605". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 10:41
S5	0	707/104.1.ccls. and (data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/08 08:17
S6	4	707/104.1.ccls. and (data adj stream\$1) and (virtual with file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/08 08:49
S7	253	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:48
S8	43	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:49
S9	3	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4 with files) and container and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/08 08:52
S10	4	"20050132417" or "6301605". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 13:17
S11	6	((data adj block) with (data adj stream)) same (over\$1writ\$4 or "in place of" or replac\$4) and file and buffer and memory and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 12:00

S12	46	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 12:18
S13	2	"20050132417" or "6301605". pn. and "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 13:16
S14	6	"20050132417" or "6301605". pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 13:16
S15	6	"20050132417" or "6301605". pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 13:18
S16	6	"20050132417" or "20040193648" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 11:26
S17	15	((media adj content) with receiv \$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 13:24
S18	15	((media adj contents) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:54
S19	1	((media adj contents) with receiv\$4 with creat\$4 with files) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 11:59
S20	4	"20030110504" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 11:26
S21	232	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad< "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:49

S22	232	709/231.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:48
S23	26	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:49
S24	17	"725"/89.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:50
S25	22	"711"/154.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:50
S26	4	"20030110504" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 11:56
S27	0	((media adj contents) with receiv\$4 with comsum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:00
S28	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:00
S29	68	((media adj content) with receiv \$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:03
S30	0	((media adj content) with receiv \$4) and ((media adj content) with consum\$6) and ((data or content) adj streams with buffer) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:03
S31	52	((media adj content) with receiv \$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:06

S32	1	((media adj content) with receive\$4) and ((media adj content) with consume\$6) and ((data or content) adj streams) and buffer and @ad < "20031214" and (jitter\$3 or disjoint\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:05
S33	0	("(dataadjstream\$1)and (virtualadjfile)and (containeradjfile) and@ad<20031214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 12:24
S34	2	(data adj stream\$1) and (virtual adj file) and (container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S35	9	(data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S36	4	"20020170074" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S37	0	707/104.1.ccls. and (data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S38	4	707/104.1.ccls. and (data adj stream\$1) and (virtual with file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S39	272	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S40	46	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S41	4	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4 with files) and container and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24

S42	4	"20050132417" or "6301605". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S43	6	((data adj block) with (data adj stream)) same (over\$1writ\$4 or "in place of" or replac\$4) and file and buffer and memory and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S44	96	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S45	2	"20050132417" or "6301605". pn. and "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S46	6	"20050132417" or "6301605". pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S47	6	"20050132417" or "6301605". pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S48	6	"20050132417" or "20040193648" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S49	15	((media adj content) with receiv \$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S50	1	((media adj contents) with receiv\$4 with creat\$4 with files) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S51	15	((media adj contents) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24

S52	4	"20030110504" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S53	249	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S54	249	709/231.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S55	26	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S56	20	"725"/89.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S57	25	"711"/154.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S58	1	((media adj content) with receiv \$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214" and (jitter\$3 or disjoint\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S59	52	((media adj content) with receiv \$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S60	0	((media adj content) with receiv \$4) and ((media adj content) with consum\$6) and ((data or content) adj streams with buffer) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S61	68	((media adj content) with receiv \$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24

S62	0	((media adj contents) with receiv\$4 with comsum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S63	4	"20030110504" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S64	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S65	385	(container adj file) and @ad< "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:25
S66	0	((allocat\$4 or determin\$4) near3 size) with (container adj file)) and @ad< "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:26
S67	1	((allocat\$4 or determin\$4) with size) with (container adj file)) and @ad< "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:26
S68	0	("(dataadjstream\$1)and (virtualadjfile)and (containeradjfile) and@ad< 20031214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 12:56
S69	2	(data adj stream\$1) and (virtual adj file) and (container adj file) and @ad< "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S70	9	(data adj stream\$1) and (virtual adj file) and (container same file) and @ad< "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S71	4	"20020170074" or "6301605". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

S72	0	707/104.1.ccls. and (data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S73	4	707/104.1.ccls. and (data adj stream\$1) and (virtual with file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S74	416	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S75	60	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S76	4	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4 with files) and container and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S77	4	"20050132417" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S78	6	((data adj block) with (data adj stream)) same (over\$1writ\$4 or "in place of" or replac\$4) and file and buffer and memory and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S80	2	"20050132417" or "6301605".pn. and "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 13:36
S81	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S82	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

S83	7	"20050132417" or "20040193648" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S84	16	((media adj content) with receiv \$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S85	1	((media adj contents) with receiv\$4 with creat\$4 with files) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S86	16	((media adj contents) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S87	4	"20030110504" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S88	266	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S89	266	709/231.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S90	27	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S91	20	"725"/89.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S92	26	"711"/154.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

S93	1	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214" and (jitter\$3 or disjoin\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S94	55	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S95	0	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams with buffer) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S96	75	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S97	0	((media adj contents) with receiv\$4 with comsum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S98	4	"20030110504" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S99	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S101	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S102	7	"20050132417" or "20040193648" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S103	16	((media adj content) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

S104	4	707/104.1.ccls. and (data adj stream\$1) and (virtual with file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S105	9	(data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S106	2	"20050132417" or "6301605".pn. and "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S107	1	((media adj contents) with receiv\$4 with creat\$4 with files) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S108	16	((media adj contents) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S109	4	"20030110504" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S110	266	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S111	266	709/231.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S112	27	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S113	20	"725"/89.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

S114	26	"711"/154.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S115	1	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214" and (jitter\$3 or disjoin\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S116	55	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S117	0	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams with buffer) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S118	75	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S119	0	((media adj contents) with receiv\$4 with comsum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S120	4	"20030110504" or "6205525". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S121	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S122	0	707/104.1.ccls. and (data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S123	0	("(dataadjstream\$1)and (virtualadjfile)and (containeradjfile) and@ad<20031214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 12:56

S124	416	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S125	60	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S126	4	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans \$4 with files) and container and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S127	6	"20050132417" or "6301605". pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S128	4	"20050132417" or "6301605". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S129	6	((data adj block) with (data adj stream)) same (over\$1writ\$4 or "in place of" or replac\$4) and file and buffer and memory and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S130	4	"20020170074" or "6301605". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S131	2	(data adj stream\$1) and (virtual adj file) and (container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S132	385	(container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S133	0	((allocat\$4 or determin\$4) near3 size) with (container adj file)) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

S134	1	((allocat\$4 or determin\$4) with size) with (container adj file)) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S135	2	"20020147739" or "6301605".pn. and "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 13:36

9/ 23/ 2008 9:32:38 PM

C:\Documents and Settings\klu\My Documents\EAST\Workspaces\10736452.wsp